Fall 2014 Levee Maintenance Deficiency Summary Report

Overall LMA & Unit Ratings, including DWR Erosion Survey

San Joaquin River Basin

RD2094 Reclamation District No. 2094 Wathal	Overall LMA Rating	Total LMA Miles							
	Α	3.23							
Rated Item		Maintena	nce Deficiancy		Enforc	Enforcement		Design & System Obsolescence	
Nateu item	M Miles	U Miles	M + 4U Miles	Threshold %	M Miles	U Miles	M Miles	U Miles	
Earthen Levee									
Encroachments					0.01				
Supplemental			T			T.	l		
DWR UCIP Field Study					0.03				
LMA Totals:	0.00	0.00	0.00	0.00%	0.04	0.00	0.00	0.00	
Unit No. 01 San Joaquin River RB	Overall Unit Rating	Total Unit Miles							
RD2094	Α	2.78							
Rated Item	Maintenance Deficiancy			Enforcement		Design & System Obsolescence			
Rated item	M Miles	U Miles	M + 4U Miles	Threshold %	M Miles	U Miles	M Miles	U Miles	
Earthen Levee									
Encroachments					0.01				
Supplemental									
DWR UCIP Field Study					0.03				
Unit Totals:	0.00	0.00	0.00	0.00%	0.04	0.00	0.00	0.00	
Unit No. 02 San Joaquin River	Overall Unit Rating	Total Unit Miles							
RD2094	A	0.45							
Rated Item		Maintena	nce Deficiancy		Enforc	ement	Design 8 Obsole	k System scence	
Kaled Item	M Miles	U Miles	M + 4U Miles	Threshold %	M Miles	U Miles	M Miles	U Miles	
No Items									
Unit Totals:	0.00	0.00	0.00	0.00%					

LMA District Cover Sheet

Fall 2014 Levee Inspection Results

Reclamation District No. 2094 Wathal

	Spring (March - May)	Summer ** (June - August)	Fall (September - November)	Winter ** (December - February)			
* Overall LMA Rating (Fall Only)			A				
	** Non-receipt of Summer or Winter Inspection Reports may effect overall annual rating.						
* SPRING INSPECTIONS: Overall maintenance deficiencies are rated	ratings are not determ d using the same crite			ual maintenance			
FALL INSPECTIONS: The overall maintena within the attached u			ion and maintenance de nded to be an indiction o				
Comments							

Unit Cover Sheet

Fall 2014 Levee Inspection Results

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles
Unit No. 01 San Joaquin River	Right	2.78

	Spring (March - May)	Summer (June - August)	(September - November) Fall	Winter (December - February)
Unit Maintenance Rating (Fall Only)			Α	
Date of Inspection	05/15/2014 - 05/15/2014		10/30/2014 - 10/30/2014	
DWR Inspector	Maksim Khashchuk		Maksim Khashchuk	
Accompanied By	Brian Mizuno RD 2094		Brian Mizuno RD 2094	

Summer & Winter Inspections

The Local Maintaining Agency (LMA) is responsible for summer and winter inspections. The LMA is required to submit a report regarding summer and winter inspections to the California Department of Water Resources (DWR).

DWR must be informed on the:

- a) completion of the inspection
- b) any changes other than the results of normal maintenance
- c) corrections to deficiencies noted in this report

If additional items are noted, further documentation of those items must also be submitted.

The LMA should submit this information to DWR using the LMA web application tool available at:

http://cdec.water.ca.gov/lma.html

If the LMA is unable to submit information on this webpage, please contact DWR for assistance.

The LMA should submit the information and any associated documentation by September 30 for summer inspections and March 31 for winter inspections.

Levee Inspection Report By Mile - Fall 2014

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 San Joaquin River	Right	2.78	10/30/2014 10/30/2014	Maksim Khashchuk

LM Start		Rating **	Α	Issue No.		10	
LM End		Issue Type +	Ma	Location *		N/A	
Earthen Levee				GPS La	atituc	de/Longitude	
Category				Start		End	
Item	Flood Pre	Flood Preparedness & Training			0		0
пеш					0		0
DWR ID	DWR_RD2	094_01_s _ 201	13_10				
Action/Comments							
Inspector Comments: LMA has a flood response plan available at the office.							

No Photos

Rating ** Issue No. LM Start Α 11 Issue Type + Location * N/A Ma LM End Earthen Levee GPS Latitude/Longitude Category Start End Emergency Supplies & Item Equipment DWR ID DWR RD2094 01 s 2013 11 Action/Comments

No Photos

Inspector Comments: Supplies available on-site.

LM Start		Rating **	Α	Issue No.		12	
LM End		Issue Type +	Ma	Location *		N/A	
Category	Earthen L	evee		GPS La	atitud	le/Longitude	
Calegory				Start		End	
Item	Operations & Maintenance				0		0
пеш	Manuals				0		0
DWR ID DWR_RD2094_01_s _ 2013_12							
Action/Comments							

Inspector Comments: O&M Manual available at LMA's office.

No Photos

* Location LS : Land Side

WS : Water Side

N/A: Not Applicable

A : Acceptable
M : Minimally Acceptable
U : Unacceptable

N : Not Inspected/Rated C : Corrected

A/W : Acceptable but Monitor & Maintain

+ Issue Type

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence

En : Enforcement

Levee Inspection Report By Mile - Fall 2014

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 San Joaquin River	Right	2.78	10/30/2014 10/30/2014	Maksim Khashchuk

LM Start	0.10	Rating **	М	Issue No.		4	
LM End	0.10	Issue Type +	En	Location *		WS	
Cotogony	Earthen Levee					e/Longitude	
Category				Start		End	
Item	Encroach	ments		37.77168	35 °	37.771685	0
item				-121.30023	39 °	-121.300239	0
DWR ID DWR_RD2094_01_s _ 2012_4							

Action/Comments

Ramp

Inspector Comments: An access ramp has been built on the water side and extends into the channel. This could potentially alter the channel capacity. This item was also noted in the USACE comments.

Photo 1 of 1: FA_2014_RD2094_320_4_20141001_00001.jpg



Tire marks shown onto the ramp from levee. Raised area extends to the trees in the background in the center of the photo.

LM Start	0.11	Rating **	Α	Issue No.		6		
LM End	2.17	Issue Type +	Ма	Location *		LS		
Category	Earthen L	evee	GPS La	titud	le/Longitude			
Category			Start		End			
Item	Vegetatio	n		37.7714	75 °	37.751738°		
пеш				-121.3003	43 °	-121.298302 °		
DWR ID	DWR_RD2094_01_f _ 2014_6							
	Action/Comments							

Control annual grass and weeds on the levee slopes and easements. Inspector Comments: Great job maintaining levee slopes.

Photo 1 of 1: FA_2014_RD2094_320_6_20141030_00006.jpg



View of the acceptable levee vegetation control.

LM Start	0.39	Rating **	С	Issue No.		13	
LM End	0.39	Issue Type +	Ma	Location *		LS	
Category	Earthen L	evee		GPS La	titud	e/Longitude	
Category				Start		End	
Item	Slope Sta	bility		37.7684	27 °	37.768427	0
пеш				-121.2992	67 °	-121.299267	0
DWR ID	DWR_RD2	094_01_s _ 201	4_13				

Action/Comments

Repair the levee slope damaged by vehicle traffic and prevent access where possible.

No Photos

* Location		** Rating	
LS : Land Side WS : Water Side	N/A: Not Applicable	A : Acceptable M : Minimally Acceptable	N : Not Inspected/Rat C : Corrected
CR : Crown		U : Unacceptable	A/W : Acceptable but Mo

+ Issue Type

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence En: Enforcement

Levee Inspection Report By Mile - Fall 2014

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 San Joaquin River	Right	2.78	10/30/2014 10/30/2014	Maksim Khashchuk

LM Start	0.66	Rating **	М	Issue No.	1		
LM End	0.66	Issue Type +	En	Location *	LS		
Category	Suppleme	Supplemental			GPS Latitude/Longitude		
Calegory			Start			End	
DWR UCIP Field Study		37.7675	14 °	37.767514	0		
пеш				-121.29492	26 °	-121.294926	0
DWR ID	DWR_RD2	094_01_f _ 201	4_1				

No Photos

Action/Comments

Inspector Comments: FS_ID:21464

EP_NO: N/A

Repair Type: Non-Urgent Crossing Status: Found

UCIP Comments: - walkway in poor condition and needs repair.

electric conduit on waterside.

FIELD_STRUCT_DESC: 14-inch concrete encased steel pipe and GI conduit through the levee, 10.0 feet below the crown, pump mounted on a pile structure in the stream, slide gate, 54-inch corrugated metal pipe riser on the waterward shoulder, concrete distribution box and service pole on the landward toe, installed by USCE, 1962 (O&M Unit No. 3,

1968)

FS Date: 9/10/2013

LM Start	1.27	Rating **	M	Issue No.		2	
LM End	1.27	Issue Type +	En	Location *	LS		
Category	Suppleme	ental	GPS Latitude/Lor		le/Longitude		
Category				Start		End	
Item	DWR UCIP Field Study			37.76058	٥	37.760581	0
пеш				-121.297373	°	-121.297373	0
DWR ID	DWR_RD2	094_01_f _ 201	4_2				
			_				

Action/Comments Inspector Comments: FS_ID:21544

EP_NO: N/A

Repair Type: Non-Urgent Crossing Status: Found

UCIP Comments: - working as drainage system during field visit. Pump

was not running electric conduit on W Sopen pipe end in CMP

riser. CMP needs cleaning.

FIELD_STRUCT_DESC: 20-inch concrete encased steel pipe through the levee, 10.0 feet below the crown, pump mounted on a pile structure in the stream, gate valve, 54-inch corrugated metal pipe riser on the waterward shoulder, concrete distribution box and service pole on the

landward toe (O&M Unit No. 3, 1968)

FS Date: 9/10/2013

No Photos

U : Unacceptable

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence En: Enforcement

Levee Inspection Report By Mile - Fall 2014

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 San Joaquin River	Right	2.78	10/30/2014 10/30/2014	Maksim Khashchuk

LM Start	2.49	Rating **	М	Issue No.		3	
LM End	2.49	Issue Type +	En	Location *		LS	
Category			GPS Latitude/Longitude				
Calegory				Start		End	
DWR UCIP Field Study		37.7523	08 °	37.752308	0		
пеш				-121.2931	91 °	-121.293191	0
DWR ID DWR_RD2094_01_f _ 2014_3							
		Action/	Commo	nto			

Action/Comments

Inspector Comments: FS_ID:21545

EP_NO: N/A

Repair Type: Non-Urgent Crossing Status: Found

UCIP Comments: - no pipes found on either side of the levee. concrete distribution box on LS. Soil erosion around distrinution box. FIELD_STRUCT_DESC: Rectangular concrete distribution box on the

landward toe FS Date: 9/10/2013 No Photos

* Location LS : Land Side N/A: Not Applicable WS : Water Side

A : Acceptable M : Minimally Acceptable

U : Unacceptable

N : Not Inspected/Rated C : Corrected

+ Issue Type

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence

En : Enforcement

Unit Cover Sheet

Fall 2014 Levee Inspection Results

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles
Unit No. 02 San Joaquin River		0.45

	Spring (March - May)	Summer (June - August)	(September - November) Fall	Winter (December - February)
Unit Maintenance Rating (Fall Only)			Α	
Date of Inspection	05/15/2014 - 05/15/2014		10/30/2014 - 10/30/2014	
DWR Inspector	Maksim Khashchuk		Maksim Khashchuk	
Accompanied By	Brian Mizuno RD 2094		Brian Mizuno RD 2094	

Summer & Winter Inspections

The Local Maintaining Agency (LMA) is responsible for summer and winter inspections. The LMA is required to submit a report regarding summer and winter inspections to the California Department of Water Resources (DWR).

DWR must be informed on the:

- a) completion of the inspection
- b) any changes other than the results of normal maintenance
- c) corrections to deficiencies noted in this report

If additional items are noted, further documentation of those items must also be submitted.

The LMA should submit this information to DWR using the LMA web application tool available at:

http://cdec.water.ca.gov/lma.html

If the LMA is unable to submit information on this webpage, please contact DWR for assistance.

The LMA should submit the information and any associated documentation by September 30 for summer inspections and March 31 for winter inspections.

Levee Inspection Report By Mile - Fall 2014

Reclamation District No. 2094 Wathal

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 San Joaquin River		0.45	10/30/2014 10/30/2014	Maksim Khashchuk

LM Start	0.01	Rating **	Α	Issue No.		1		
LM End	0.45	Issue Type +	Ма	Location *	WS			
Category	evee	GPS Latitude/Longitude						
Calegory		Start		End				
Itom	Vegetation			37.759281 °		37.760599°		
Item				-121.2997	96 °	-121.307077 °		
DWR ID	DWR ID DWR_RD2094_02_f _ 2014_1							
Action/Comments								
Control an	Control annual grass and weeds on the levee slopes and easements							



View of the acceptable levee vegetation control.